

Revision: 09.01.2014

Printing date 09.01.2014

Version number 1

## 1 Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: Oil of tansy pure

Article number: 7081

**CAS Number:** 84961-64-8 **EC number:** 284-653-9

#### Registration number

A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

#### Application of the substance / the mixture

Laboratory chemical

## 1.3 Details of the supplier of the safety data sheet

## Manufacturer/Supplier:

Carl Roth GmbH + Co. KG Schoemperlenstraße 3-5 76185 Karlsruhe Germany

Telefon: +49/(0)721 5606-0

Telefax: +49/(0)721 5606-149 E-Mail: sicherheit@carlroth.de

Further information obtainable from: Department Health, Safety and Environment

1.4 Emergency telephone number:

Poison Centre Munich Telefon +49/(0)89 19240

#### 2 Hazards identification

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

Acute Tox. 4 H302 Harmful if swallowed.

#### Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R22: Harmful if swallowed.

N; Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 09.01.2014 Version number 1 Revision: 09.01.2014

Trade name: Oil of tansy pure

(Contd. of page 1)

#### Hazard pictograms







GHS02

GHS07 GHS09

## Signal word Warning

#### **Hazard statements**

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H411 Toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No P210

smokina.

P280 Wear protective gloves / eye protection / face protection.

P273 Avoid release to the environment.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

#### Additional information:

#### 2.3 Other hazards

All chemicals are potentially dangerous. They are therefore only be handled by specially trained personnel with the necessary care.

#### Results of PBT and vPvB assessment

**PBT:** Not applicable. vPvB: Not applicable.

## 3 Composition/information on ingredients

#### 3.1 Chemical characterization: Substances

**CAS No. Description** 84961-64-8 Tansy oil

Identification number(s) EC number: 284-653-9

## 4 First aid measures



#### 4.1 Description of first aid measures

#### General information:

Remove any clothing soiled by the product.

## After inhalation:

Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)



Printing date 09.01.2014 Version number 1 Revision: 09.01.2014

Trade name: Oil of tansy pure

(Contd. of page 2)

#### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### After eye contact:

To be sure rinse opened eye under running water. If there is any trouble seek medical help.

#### After swallowing:

Rinse out mouth and drink a glass of water. Do not induce vomiting.

Call for a doctor immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5 Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

#### For safety reasons unsuitable extinguishing agents:

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

In the event of fire development of hazardous combustion gases or vapours possible.

Carbon monoxide and carbon dioxide

#### 5.3 Advice for firefighters

#### **Protective equipment:**

Wear self-contained respiratory protective device.

Wear fully protective suit.

## **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Prevent fire-fighting water from entering surface water or groundwater.

#### 6 Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear personal protective equipment.

Evacuate the danger area, observe emergency procedures, consult an expert.

#### 6.2 Environmental precautions

Do not allow to enter sewers/ground water or penetrate the soil.

Keep contaminated washing water and dispose of appropriately.

#### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. Rotisorb® Art.-Nr. 1710.1).

Dispose of the material collected according to regulations.

Ensure adequate ventilation.

### 6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 4)



Printing date 09.01.2014 Version number 1 Revision: 09.01.2014

Trade name: Oil of tansy pure

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. of page 3)

## 7 Handling and storage

## 7.1 Precautions for safe handling

Handling corresponding to laboratory safety guidelines.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

## Information about fire - and explosion protection:

Protect from heat.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

## Requirements to be met by storerooms and receptacles:

No special requirements.

### Information about storage in one common storage facility:

Store away from foodstuffs.

#### Further information about storage conditions:

Protect from heat and direct sunlight.

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No further relevant information available.

#### 8 Exposure controls/personal protection

## Additional information about design of technical facilities:

No further data; see item 7.

## 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: Not required.

## Additional information:

The lists valid during the making were used as basis.

#### 8.2 Exposure controls

#### Personal protective equipment:

#### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

(Contd. on page 5)



Printing date 09.01.2014 Version number 1 Revision: 09.01.2014

Trade name: Oil of tansy pure

(Contd. of page 4)

#### Respiratory protection:



Use suitable respiratory protective device in case of insufficient ventilation.

Recommended filter typ:

A2

#### Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### **Material of gloves**

Nitrile, thickness >0,3 mm.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

## Penetration time of glove material

Value for the permeation: Level ≥ 6

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, thickness: ≥ 0.11 mm

#### **Eye protection:**



Tightly sealed goggles

#### **Body protection:**

Protective work clothing

## 9 Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

**General Information** 

Appearance:

Form: Fluid

Colour:Yellow to brown.Odour:Characteristic

Odour threshold: No information available.

**pH-value:** No information available.

(Contd. on page 6)



Printing date 09.01.2014 Version number 1 Revision: 09.01.2014

3		
rade name: Oil of tansy pure		
		(Contd. of page
Change in condition		
Melting point/Melting range:	Undetermined.	
	No information available.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	59 °C	
Flammability (solid, gaseous):	No information available	
Ignition temperature:	No information available	
Decomposition temperature:	No information available	
Self-igniting:	No information available	
Danger of explosion:	No information available	
Explosion limits:		
Lower:	No information available.	
Upper:	No information available.	
Oxidizing properties:	No information available.	
Vapour pressure:	No information available	
Density at 20 °C:	0.934 g/cm <sup>3</sup>	
Relative density	No Information available.	
Vapour density	No information available	
Evaporation rate	No information available	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ter): No information available	
Viscosity:		
Dynamic:	No information available.	
Kinematic:	No information available.	
9.2 Other information	No further relevant information available.	

## 10 Stability and reactivity

## 10.1 Reactivity

Fumes can combine with air to form an explosive mixture.

## 10.2 Chemical stability

## Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

## 10.3 Possibility of hazardous reactions

No information available.

## 10.4 Conditions to avoid

No information available.

## 10.5 Incompatible materials:

No information available.

## 10.6 Hazardous decomposition products:

In case of fire: see item 5.

(Contd. on page 7)



Printing date 09.01.2014 Version number 1 Revision: 09.01.2014

Trade name: Oil of tansy pure

(Contd. of page 6)

## 11 Toxicological information

#### 11.1 Information on toxicological effects

#### **Acute toxicity:**

#### LD/LC50 values relevant for classification:

Quantitative data on the toxicity of this product are not available.

#### **Primary irritant effect:**

#### on the skin:

No irritating effect.

#### on the eye:

No irritating effect.

#### Sensitization:

No sensitizing effects known.

#### CMR effects:

#### Germ cell mutagenicity:

No information available.

#### Carcinogenicity:

No information available.

#### Reproductive toxicity:

No information available.

#### **Aspiration hazard:**

No information available.

## Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

## Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Additional toxicological information:

We have no description of any toxic symptoms.

#### **Further information:**

The product should be handled with the care usual when dealing with chemicals.

## 12 Ecological information

#### 12.1 Toxicity

#### Aquatic toxicity:

Quantitative data on the ecological effect of this product are not available.

## 12.2 Persistence and degradability

No further relevant information available.

## 12.3 Bioaccumulative potential

No further relevant information available.

#### 12.4 Mobility in soil

No further relevant information available.

#### **Ecotoxical effects:**

#### Remark:

Do not allow to enter waters, waste water, or soil!

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Also poisonous for fish and plankton in water bodies.

(Contd. on page 8)



Printing date 09.01.2014 Version number 1 Revision: 09.01.2014

Trade name: Oil of tansy pure

(Contd. of page 7)

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## 12.6 Other adverse effects

No further relevant information available.

## 13 Disposal considerations

#### Waste treatment methods

#### Recommendation

This material and its container must be disposed of as hazardous waste.

The disposal is regionally differently regulated, therefore the kind of disposal is to be inquired at the responsible authorities.

#### **Uncleaned packaging:**

#### Recommendation:

Disposal according to official regulations.

## 14 Transport information

14.1 UN-Number	
ADR, IMDG, IATA	UN1169
14.2 UN proper shipping name	

ADR 1169 EXTRACTS, AROMATIC, LIQUID (not viscous), ENVIRONMENTALLY HAZARDOUS

IMDG EXTRACTS, AROMATIC, LIQUID, MARINE

POLLUTANT

IATA EXTRACTS, AROMATIC, LIQUID

## 14.3 Transport hazard class(es)

#### ADR, IMDG



Class 3 Flammable liquids. Label 3

## IATA



Class 3 Flammable liquids.
Label 3

(Contd. on page 9)



Printing date 09.01.2014 Version number 1 Revision: 09.01.2014

Trade name: Oil of tansy pure		
	(Contd. of page 8)	
14.4 Packing group		
ADR, IMDG, IATA	III	
14.5 Environmental hazards:	Environmentally hazardous substance, liquid; Marine Pollutant	
Marine pollutant: Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)	
14.6 Special precautions for user Danger code (Kemler): EMS Number:	Warning: Flammable liquids. 30 F-E,S-D	
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
Transport/Additional information:		
ADR Limited quantities (LQ) Transport category Tunnel restriction code	5L 3 D/E	
UN "Model Regulation":	UN1169, EXTRACTS, AROMATIC, LIQUID (not viscous), ENVIRONMENTALLY HAZARDOUS, 3, III	

## 15 Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations:

## Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning juveniles must be observed.

## **Breakdown regulations:**

#### Waterhazard class:

Water hazard class 2 (Self-assessment): hazardous for water.

## 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing MSDS: Department: Health, Safety and Environment

Contact: Herr Heine

## Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 10)

Page 10/10

# Safety data sheet according to Regulation (EC) No. 1907/2006



Printing date 09.01.2014

Version number 1

Revision: 09.01.2014

Trade name: Oil of tansy pure

LD50\*: Lethal Dose, 50 percent (Not relevant for classification) LD50\*: Lethal Concentration, 50 percent (Not relevant for classification)

(Contd. of page 9)