



TCI AMERICA

SAFETY DATA SHEET

Revision number: 2
Revision date: 10/06/2014

1. IDENTIFICATION

Product name: Naphthalene Zone Refined (number of passes:23)
Product code: N0004

Product use: For laboratory research purposes.
Restrictions on use: Not for drug or household use.

Company:
TCI America
9211 N. Harborage Street
Portland, OR 97203 U.S.A.
Telephone:
+1-800-423-8616 / +1-503-283-1681
Fax:
+1-888-520-1075 / +1-503-283-1987
e-mail:
sales-US@TCIchemicals.com
www.TCIchemicals.com

Emergency telephone number:
Chemical Emergencies:
TCI America (8:00am - 5:00pm) PST
+1-503-286-7624
Transportation Emergencies:
Chemtrec 24-Hour
+1-800-424-9300 (U.S.A.)
+1-703-527-3887 (International)
Responsible department:
TCI America
Environmental Health Safety and Security
+1- 503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200:
Acute Toxicity - Oral [Category 4]
Eye Damage/Irritation [Category 2B]
Sensitization - Skin [Category 1]
Carcinogenicity [Category 2]
Specific Target Organ Toxicity (Single Exposure) [Category 1]
Specific Target Organ Toxicity (Single Exposure) [Category 2]
Specific Target Organ Toxicity (Repeated Exposure) [Category 1]
Flammable Solids [Category 2]
Aquatic Hazard (Acute) [Category 1]
Aquatic Hazard (Long-Term) [Category 1]

Signal word: Danger!

Hazard Statement(s):
Causes eye irritation
Flammable solid
Harmful if swallowed
May cause an allergic skin reaction
Suspected of causing cancer
Very toxic to aquatic life
Very toxic to aquatic life with long lasting effects
Causes damage to: Blood
May cause damage to organs: Eye
Causes damage to organs: Blood Nose Eye through prolonged or repeated exposure.

Pictogram(s) or Symbol(s):



Precautionary Statement(s):
[Prevention]

Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Avoid breathing dusts or mists. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection. Do not breathe dusts or mists. Wash all exposed skin thoroughly after handling. Keep away from heat, sparks, open flames or other hot surfaces. - No smoking. Ground or bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting, and equipment. Wear protective gloves, eye protection and face protection.

2. HAZARD(S) IDENTIFICATION**[Response]**

If swallowed: Immediately call a poison center or doctor. Rinse mouth. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse. If exposed or concerned: Get medical advice or attention. If exposed: Call a poison center or doctor. If exposed or concerned: Call a poison center or doctor. Get medical advice or attention if you feel unwell. In case of fire: Use dry chemical, CO₂, sand, earth, water spray or regular foam to extinguish.

[Storage]

Store locked up.

[Disposal]

Dispose of contents and container in accordance with US EPA guidelines for the classification and determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

Hazards not otherwise classified: **[HNOC]** Causes mild skin irritation.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Substance/Mixture:**

Substance

Components:

Naphthalene Zone Refined (number of passes:23)

Percent:

>99.8%(GC)

CAS Number:

91-20-3

Molecular Weight:

128.17

Chemical Formula:C₁₀H₈**4. FIRST-AID MEASURES****Inhalation:**

May cause coughing, difficult breathing and nausea. Call emergency medical service. Effects of exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Skin contact:

Call a poison center or doctor if you feel unwell. Effects of exposure (skin contact) to substance may be delayed. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Eye contact:

IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Ingestion:

Harmful if swallowed. Do not induce vomiting without medical advice. Effects of exposure (ingestion) to substance may be delayed. If swallowed, seek medical advice immediately and show the container or label. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Symptoms/effects:**Acute:**

Redness.

Delayed:

May cause skin sensitization. Possibly carcinogenic to humans.

Immediate medical attention:

WARNING: It might be hazardous to the person providing aid to give mouth-to-mouth respiration, because the inhaled material is harmful. CAUTION: Victim may be a source of contamination. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media:**

Dry chemical, CO₂, water spray, or alcohol-resistant foam. Consult with local fire authorities before attempting large scale fire fighting operations.

Specific hazards arising from the chemical**Hazardous combustion products:**

These products include: Carbon oxides

5. FIRE-FIGHTING MEASURES

Other specific hazards: Closed containers may explode from heat of a fire.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. May re-ignite after fire is extinguished. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions:**

Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Use spark-proof tools and explosion-proof equipment. Remove all sources of ignition. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Personal protective equipment:

Wear eye protection (splash goggles) and face protection (full length face shield). Wear protective clothing (chemical resistant suit and chemical resistant boots). Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Wear protective gloves (nitrile).

Emergency procedures:

Prevent dust cloud. Do not clean-up or dispose except under supervision of a specialist. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in the immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). All equipment used when handling the product must be grounded. Stop leak if without risk. Ventilate the area. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material.

Environmental precautions:

Keep away from living quarters. Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE**Precautions for safe handling:**

Avoid inhalation of vapor or mist. Manipulate under an adequate fume hood. Do not ingest. Avoid contact with skin and eyes. Avoid exposure - obtain special instructions before use. Avoid prolonged or repeated exposure. Normal measures for preventive fire protection. Avoid mechanical shock and friction. Avoid formation of dust and aerosols. Keep away from heat and sources of ignition. Use explosion-proof equipment. Use only non-sparking hand tool when handling this product. Ground all equipment containing material. Take measures to prevent build up of electrostatic charge. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources of ignition.

Conditions for safe storage:

Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from sources of ignition. Store and use away from heat, sparks, open flame, or any other ignition source. Keep away from incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Avoid prolonged storage periods.

Storage incompatibilities:

Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Exposure limits:**

ACGIH TLV (TWA): 10 ppm (skin)

OSHA PEL (TWA): 10 ppm

Appropriate engineering controls:

Handle only in a fully enclosed system and equipment. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment**Respiratory protection:**

Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.

Hand protection:

Wear protective gloves.

Eye protection:

Safety glasses.

Skin and body protection:

Wear protective clothing (chemical resistant suit and chemical resistant boots).

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Solid
Form: Crystal - Powder
Color: White
Odor: Aromatic
Odor threshold: 0.084 ppm

Melting point/freezing point: 81°C (178°F)
Boiling point/range: 218°C (424°F)
Decomposition temperature: No data available
Relative density: No data available
Kinematic Viscosity: 0.26mm²/s (80°C)
**Partition coefficient:
n-octanol/water (log P_{ow})** 3.3

pH: No data available
Vapor pressure: 0.04kPa/25°C
Vapor density: 4.42
Dynamic Viscosity: No data available

Evaporation rate: No data available
(Butyl Acetate = 1)

Flash point: 79°C (174°F)
Flammability (solid, gas): No data available

Autoignition temperature: 540°C (1004°F)
Flammability or explosive limits:
Lower: 0.9%
Upper: 5.9%

Solubility(ies):
Water: Insoluble
Very soluble: Ether
Soluble: Alcohols, Benzene, Toluene

10. STABILITY AND REACTIVITY

Reactivity: Not Available.
Chemical Stability: Stable under recommended storage conditions. (See Section 7)
Possibility of Hazardous Reactions: No hazardous reactivity has been reported.
Conditions to avoid: Avoid excessive heat and light.
Incompatible materials: Strong oxidizing agents
Hazardous Decomposition Products: No data available

11. TOXICOLOGICAL INFORMATION

RTECS Number: QJ0525000

Acute Toxicity:
ori-rat LD50:490 mg/kg
ihl-rat LC50:>340 mg/m³/1H
skn-rbt LD50:>20 g/kg
ivn-mus LD50:100 mg/kg

Skin corrosion/irritation:
skn-rbt 495 mg open MLD

Serious eye damage/irritation:
eye-rbt 100 mg MLD

Respiratory or skin sensitization:
No data available

Germ cell mutagenicity:
cyt-ham-ovr 30 mg/L
slt-dmg-ori 5 mmol/L
sce-ham-ovr 15 mg/L

Carcinogenicity:

ihl-rat TCLo:1575 mg/kg/105W-

IARC: Group 2B (Possibly carcinogenic to humans) .

NTP: b (Reasonably anticipated to be carcinogens).

OSHA: No data available

Reproductive toxicity:

orl-rat TDLo:4500 mg/kg(6-15D preg)

Routes of Exposure:

Inhalation, Eye contact, Ingestion, Skin contact.

Symptoms related to exposure:

Overexposure may result in serious illness or death. Eye contact may result in redness or pain. Skin contact may result in sensitization. Readily absorbed through skin. Skin contact may result in redness, pain or dry skin.

Potential Health Effects:

Skin and eye contact may result in irritation.

Target organ(s):

Causes damage to: Blood

May cause damage to organs: Eye

Causes damage to organs: Blood Nose Eye through prolonged or repeated exposure.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Fish:	48h LC50:9.0 ppm (Oryzias latipes)
Crustacea:	No data available
Algae:	No data available

Persistence and degradability:

2 % (by BOD), 0 % (by GC)

Bioaccumulative potential (BCF):

36.5 - 168 (conc. 0.15 ppm), 23 - 146 (conc. 0.15 ppm)

Mobility in soil:

No data available

Partition coefficient:

3.3

n-octanol/water (log P_{ow})**Soil adsorption (K_{oc}):**

No data available

Henry's Law:

45

constant (PaM³/mol)**13. DISPOSAL CONSIDERATIONS****Disposal of product:**

Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains, water ways, or the soil.

Disposal of container:

Dispose of as unused product. Do not re-use empty containers.

Other considerations:

Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION**DOT (US)****UN number:**

UN1334

Proper Shipping Name:

Naphthalene, refined

Class or Division:

4.1 Flammable solid

Packing Group:

III

IATA**UN number:**

UN1334

Proper Shipping Name:

Naphthalene, refined

Class or Division:

4.1 Flammable solid

Packing Group:

III

IMDG**UN number:**

UN1334

Proper Shipping Name:

Naphthalene, refined

Class or Division:

4.1 Flammable solid

Packing Group:

III

EmS number:

F-A, S-G

Reportable Quantity:

100 Pounds (45.4 Kilograms)

15. REGULATORY INFORMATION**Toxic Substance Control Act (TSCA 8b.):**

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations**CERCLA Hazardous substance and Reportable Quantity:**

SARA 313:

Listed

15. REGULATORY INFORMATION

SARA 302: Not Listed

State Regulations**State Right-to-Know**

Massachusetts Listed

New Jersey Listed

Pennsylvania Listed

California Proposition 65: Listed

Other Information**NFPA Rating:**

Health: 3

Flammability: 2

Instability: 0

HMIS Classification:

Health: 3

Flammability: 2

Physical: 0

International Inventories**WHMIS hazard class:**

B4: Flammable Solid.

D2A: Materials causing other toxic effects. (Very Toxic)

D2B: Materials causing other toxic effects. (Toxic)

Canada: DSL

On DSL

EC-No:

202-049-5

16. OTHER INFORMATION**Revision date:** 10/06/2014**Revision number:** 2

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.