

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/23/2015 Reviewed on 02/15/2010

#### 1 Identification

Product identifier

Product name: 2,5-Dimethylaniline

Stock number: L02653

CAS Number: 95-78-3 **EC number:** 202-451-0 Index number:

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

# Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to the liver through prolonged or repeated exposure. Route of exposure: Oral.

H227 Combustible liquid.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms





GHS06 GHS08

Signal word Danger Hazard statements

Hazard statements
Combustible liquid.
H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
H373 May cause damage to the liver through prolonged or repeated exposure. Route of exposure: Oral.
Precautionary statements

Precadionary Statements
P280 Wear protective gloves / protective clothing.
P273 Avoid release to the environment.
P309 IF exposed or if you feel unwell:
P310 Immediately call a POISON CENTER/doctor/...
WHMIS classification

B3 - Combustible liquid D1A - Very toxic material causing immediate and serious toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2 Flammability = 1 Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients Chemical characterization: Substances

Chemical characterization CAS# Description: 95-78-3 2,5-Dimethylaniline Identification number(s): EC number: 202-451-0

(Contd. on page 2)

# Product name: 2,5-Dimethylaniline

(Contd. of page 1) Index number: 612-027-00-0

# 4 First-aid measures

#### Description of first aid measures

General information

General Information
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Do not induce vomiting; immediately call for medical help.
Information for doctor

Most important symptoms and effects, both acute and delayed Methemoglobinemia
Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling exposed containers.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Possibly Hydrogen cyanide (HCN) Advice for firefighters

Protective equipment: Wear self-contained respirator.

Wear fully protective impervious suit.

#### 6 Accidental release measures

# Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

# 7 Handling and storage

Handling Precautions for safe handling

Recautions for safe nandling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.

Information about protection against explosions and fires: No information known.

# Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available

# 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Components with limit values that require monitoring at the workplace:

2,5-Dimethylaniline

Denmark TWA

0.5 (skin)

Denmark I WA 0.5 (ski France VME 2 (skin) Norway TWA 1 Netherlands MAC-TGG 0.5 Poland TWA 10

United Kingdom TWA 2; 10-STEL (skin)

Control parameters

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.

(Contd. on page 3)

(Contd. of page 2)

# Product name: 2,5-Dimethylaniline

Liquid Yellow

Characteristic

Not determined.

Not determined.

15 °C (59 °F) 218 °C (424 °F) Not determined

93 °C (199 °F)

Not determined 520 °C (968 °F) Not determined

Not determined.

Not determined Not determined

Not determined 0.973 g/cm³ (8.12 lbs/gal) Not determined. Not determined.

Store protective clothing separately.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Eye protection: Protective work clothing.

#### 9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

Color:

Odor:

Odor threshold:

pH-value:

Change in condition

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

Flash point:

Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:

Danger of explosion: Explosion limits: Lower: Upper:

Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density

Evaporation rate

Solubility in / Miscibility with

Water at 12 °C (54 °F):

Partition coefficient (n-octanol/water): Not determined.

5.6 g/l

Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic: kinematic:

Other information

Not determined. Not determined.

No further relevant information available

### 10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions No dangerous reactions known
Conditions to avoid No further relevant information available.
Incompatible materials: Oxidizing agents
Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Nitrogen oxides

Product does not present an explosion hazard.

Nitrogen oxides Possibly Hydrogen cyanide (HCN)

# 11 Toxicological information

Information on toxicological effects

Information on toxicological effects
Acute toxicity:
Toxic in contact with skin.
Toxic if inhaled.
Toxic if swallowed.
Danger through skin absorption.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification:

# Oral LD50 1297 mg/kg (rat)

Skin irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritating effect.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity: IARC-3: Not classifiable as to carcinogenicity to humans.

Reproductive toxicity: No effects known.

Specific target organ system toxicity: appeated exposure: May cause democs to the liver through prologed or reported exposure.

Specific target organ system toxicity - repeated exposure: May cause damage to the liver through prolonged or repeated exposure. Route of exposure: Oral. Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Other information (about experimental toxicology):

Mutagenic effects have been observed on tests with bacteria.

Mutagenic effects have been observed on tests with laboratory animals.

The Registry of Toxic Effects of Chemical Substances (RTECS) reports the following effects in laboratory animals: Liver - changes in liver weight.

Liver - other changes.

Elver - other changes.

Biochemical - Enzyme inhibition, induction, or change in blood or tissue levels - phosphatases.

Absorption into the body may lead to the formation of methemoglobin, producing cyanosis, and marked fall in blood pressure leading to collapse, coma and possibly death. Onset may be delayed 2-4 hours or longer.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

(Contd. on page 4)

# Product name: 2,5-Dimethylaniline

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

(Contd. of page 3)

#### 12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxical effects:

Remark: Toxic for aquatic organisms
Additional ecological information:

General notes:

<u>Do not allow material to be released to the environment without proper governmental permits.</u>

Do not allow material to be released to the environment without proper governmental permits. Toxic for aquatic organisms

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic to aquatic life. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

### 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

14	Trans	port	informati	on

UN-Number DOT, IMDG, IATA	UN1711
UN proper shipping name DOT IMDG IATA	Xylidines, liquid XYLIDINES, LIQUID, MARINE POLLUTANT XYLIDINES, LIQUID

# Transport hazard class(es)





Class	6.1 Toxic substances.	
Label	6.1	
Class	6.1 (T1) Toxic substances	
Label IMDG	6.1	







Class	6.1 Toxic substances.
Label	6.1
Packing group	

DOT, IMDG, IATA

Environmentally hazardous substance, liquid; Marine Pollutant Symbol (fish and tree) Environmental hazards: Marine pollutant (IMDG)

Special marking with the symbol (fish and tree)

Special precautions for user Warning: Toxic substances Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Transport/Additional information:

DOT

Marine Pollutant (DOT): Remarks:

UN "Model Regulation": UN1711, Xylidines, liquid, 6.1, II

# 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





Signal word Danger

(Contd. on page 5)

# Product name: 2,5-Dimethylaniline

(Contd. of page 4)

Hazard statements
H227 Combustible liquid.
H321+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.
H373 May cause damage to the liver through prolonged or repeated exposure. Route of exposure: Oral.

Precautionary statements

P280 Wear protective gloves / protective clothing.
P273 Avoid release to the environment.
P309 IF exposed or if you feel unwell:
P310 Immediately call a POISON CENTER/doctor/...

National regulations

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).
SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Other regulations, limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms:
RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO: The concernation of Civil Aviation Organization (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
MTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

USA