# SAFETY DATA SHEET

Version 3.11 Revision Date 12/11/2017 Print Date 11/10/2018

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Tetraethylthiuram disulfide

Product Number : 86720 Brand : Aldrich Index-No. : 006-079-00-8

CAS-No. : 97-77-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Skin sensitisation (Category 1), H317

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s)

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P314 Get medical advice/ attention if you feel unwell.

P321 Specific treatment (see supplemental first aid instructions on this label).

P330 Rinse mouth.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

P501 Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms : Bis(diethylthiocarbamyl) disulfide

Disulfiram

Bis(diethylthiocarbamoyl) disulfide

Formula : C<sub>10</sub>H<sub>20</sub>N<sub>2</sub>S<sub>4</sub>
Molecular weight : 296.54 g/mol
CAS-No. : 97-77-8
EC-No. : 202-607-8
Index-No. : 006-079-00-8

Hazardous components

Component	Classification	Concentration
Tetraethylthiuramdisulfide		
	Acute Tox. 4; Skin Sens. 1;	90 - 100 %
	STOT RE 2; Aquatic Acute 1;	
	Aquatic Chronic 1; H302,	
	H317, H373, H410	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

Aldrich - 86720 Page 2 of 9

#### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

No data available

## 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

Storage class (TRGS 510): 13: Non Combustible Solids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Tetraethylthiuramdis ulfide	97-77-8	TWA	2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Nausea Vasodilation Not classifial	ble as a human ca	rcinogen
		TWA	2.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Nausea Vasodilation Not classifiable as a human carcinogen		rcinogen

Aldrich - 86720 Page 3 of 9

TWA	2.000000 mg/m3	USA. NIOSH Recommended Exposure Limits	
	Precautions should be taken to avoid concurrent exposure to ethylene dibromide.		
PEL	2 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	

## 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder Colour: beige

b) Odour No data available
c) Odour Threshold No data available
d) pH No data available

Aldrich - 86720 Page 4 of 9

e) Melting point/freezing

Melting point/range: 69 - 71 °C (156 - 160 °F)

point

f) Initial boiling point and

boiling range

117 °C (243 °F) at 23 hPa (17 mmHg)

g) Flash point No data available
h) Evaporation rate No data available
i) Flammability (solid, gas) No data available

) Upper/lower flammability or explosive limits No data available

k) Vapour pressure No data availablel) Vapour density No data available

m) Relative density 1.3 g/cm3

n) Water solubility 0.004 g/l at 25 °C (77 °F)

 o) Partition coefficient: noctanol/water log Pow: 5

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

Bulk density 340 - 380 kg/m3 at 20 °C (68 °F)

# **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

No data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

# 10.4 Conditions to avoid

No data available

# 10.5 Incompatible materials

Strong oxidizing agents

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), Sulphur oxides Other decomposition products - No data available

In the event of fire: see section 5

# 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rabbit - 1,800 mg/kg

Remarks: Peripheral Nerve and Sensation:Flaccid paralysis without anesthesia (usually neuromuscular blockage). Behavioral:Ataxia. Nutritional and Gross Metabolic:Changes in:Body temperature decrease.

Aldrich - 86720 Page 5 of 9

LD50 Oral - Mouse - 1,980 mg/kg

Inhalation: No data available

LD50 Intraperitoneal - Rat - 248 mg/kg

Remarks: Behavioral: Change in motor activity (specific assay). Nutritional and Gross Metabolic: Changes in: Body

temperature decrease.

LD50 Intraperitoneal - Mouse - 75 mg/kg

LD50 Subcutaneous - Mouse - 2,600 mg/kg

#### Skin corrosion/irritation

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

# Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

Hamster

ovary

Sister chromatid exchange

Hamster

**Embryo** 

Morphological transformation.

Chicken

Embryo

Other mutation test systems

Mouse

Embryo

**DNA** inhibition

Mouse

lymphocyte

Chicken

Embryo

DNA inhibition

Mouse

Sister chromatid exchange

Rat

Morphological transformation.

#### Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

No data available

No data available

# Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### **Aspiration hazard**

No data available

### **Additional Information**

RTECS: JO1225000

A serious toxic interaction has been observed in rats fed tetraethylthiuram (antabuse, ro-sulfiram) and then exposed to vapors of 1,2-dibromoethane., May cause nervous system disturbances., Lethargy., Ataxia., Seizures., Coma., thyroid enlargement

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

## 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Toxicity to fish LC50 - Poecilia reticulata (guppy) - 0.187 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and

ther equation

other aquatic invertebrates

Toxicity to algae Growth inhibition EC50 - Chlorella pyrenoidosa - 1.8 mg/l - 96 h

LC50 - Daphnia magna (Water flea) - 0.12 mg/l - 48 h

# 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

# 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

# Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

#### DOT (US)

Not dangerous goods

Aldrich - 86720 Page 7 of 9

**IMDG** 

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Tetraethylthiuramdisulfide)

Marine pollutant:yes

IATA

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Tetraethylthiuramdisulfide)

#### **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

# 15. REGULATORY INFORMATION

# **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

#### Massachusetts Right To Know Components

<b>3</b>	CAS-No.	Revision Date
Tetraethylthiuramdisulfide	97-77-8	2007-03-01

Pennsylvania Right To Know Components

	CAS-No.	Revision Date
Tetraethylthiuramdisulfide	97-77-8	2007-03-01

**New Jersey Right To Know Components** 

	CAS-No.	Revision Date
Tetraethylthiuramdisulfide	97-77-8	2007-03-01

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### 16. OTHER INFORMATION

# Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Aquatic Acute Acute aquatic toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity
H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Skin Sens. Skin sensitisation

**HMIS Rating** 

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 0

**NFPA Rating** 

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

Aldrich - 86720 Page 8 of 9

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.11 Revision Date: 12/11/2017 Print Date: 11/10/2018

Aldrich - 86720 Page 9 of 9